## SAFETY DATA SHEET.

Issuing date 11-Jul-2016 Revision Date 11-Jul-2016 Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 20518 FOOD GRADE SILICONE

Recommended use of the chemical

and restrictions on use

Product code F03451

Product Type Extremely flammable aerosol

Synonyms None

Supplier's details

Recommended Use Silicone Spray.

Uses advised against No information available

Manufactured For: Manufacturer

Dixie Packaging & Seal Company
1900 Elm Tree Drive

American Jetway Corporation
34136 Myrtle Street

Nashville, TN 37210 Wayne, MI 48184-0126 Phone:(615) 883-5592 AMERICAN JETWAY 1-734-721-5930

Emergency telephone number

Chemical Emergency Phone

Number

Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

#### Classification

| Skin corrosion/irritation                          | Category 2     |
|--|----------------|
| Reproductive Toxicity                              | Category 2     |
| Specific target organ toxicity (single exposure)   | Category 3     |
| Specific target organ toxicity (repeated exposure) | Category 2     |
| Aspiration toxicity                                | Category 1     |
| Flammable aerosols                                 | Category 1     |
| Gases under pressure                               | Compressed Gas |

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### DANGER

#### **Hazard Statements**

Causes skin irritation

Suspected of damaging fertility or the unborn child

May cause respiratory irritation. May cause drowsiness or dizziness

May cause damage to organs (Central Nervous System, Peripheral Nervous System, Eyes, Kidney, Liver, Respiratory System and Skin) through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance Clear Physical state Aerosol Odor Solvent

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

Specific treatment (see first aid on this label)

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Revision Date 11-Jul-2016

**Precautionary Statements - Storage** 

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements - Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # 110-54-3, HEXANE, MAY BE SUBSTITUTED FOR CAS # 64742-49-0, COMMERCIAL HEXANES.

| Chemical Name              | CAS-No     | Weight %* |
|----------------------------|------------|-----------|
| HEXANE                     | 110-54-3   | 50-60     |
| PROPANE/ISOBUTANE/N-BUTANE | 68476-86-8 | 35-45     |
| DIMETHYL POLYSILOXANE      | 63148-62-9 | 1-10      |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures for different exposure routes

General advice Under normal conditions of intended use, this product does not pose a risk to health .

Excessive exposure may result in eye, skin, or respiratory irritation.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

**Skin contact** Wash off immediately with soap and plenty of water . Remove and wash contaminated

clothing before re-use. Get medical attention immediately if symptoms occur.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Artificial respiration and/or

oxygen may be necessary. If breathing has stopped, contact emergency medical services

immediately.

**Ingestion** Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an

unconscious person. Risk of product entering the lungs on vomiting after ingestion.

Most important symptoms/effects, acute and delayed

Main Symptoms Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause

respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

#### Revision Date 11-Jul-2016

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Water fog.Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

Unsuitable Extinguishing Media Keep away from heat and sources of ignition. Cool containers / tanks with water spray.

#### Specific hazards arising from the chemical

Extremely flammable/Flammable. Keep product and empty container away from heat and sources of ignition. No smoking. Cool containers /tanks with water spray. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

#### **Explosion Data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

## **Protective Equipment and Precautions for Firefighters**

In the event of fire and/or explosion do not breathe fumes.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use with adequate ventiliation to keep the exposure levels below the OELS.

Environmental precautions

Environmental precautions Vapors can accumulate in low areas. Report spills as required by local and federal

regulations.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up**Contain liquid and collect with an inter,non-combustible material.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid inhaling vapors or mists. Contents under

pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Use with adequate ventilation. Keep container away from heat, flames, and all other sources of ignition. Keep can away from all sources of electricity such

as electric motors and batteries. Do not spray on hot surfaces.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible products** Store away from strong acids, alkalis, or oxidizing agents.

Aerosol Level 3

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

|   |               | •         |          |            |  |
|---|---------------|-----------|----------|------------|--|
| I | Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |  |

#### F03451 - 20518 FOOD GRADE SILICONE

Revision Date 11-Jul-2016

| HEXANE                     | TWA: 50 ppm                      | TWA: 500 ppm                          | IDLH: 1100 ppm              |
|----------------------------|----------------------------------|---------------------------------------|-----------------------------|
| 110-54-3                   | Skin - potential significant     | TWA: 1800 mg/m <sup>3</sup>           | TWA: 50 ppm                 |
|                            | contribution to overall exposure | (vacated) TWA: 50 ppm                 | TWA: 180 mg/m <sup>3</sup>  |
|                            | by the cutaneous route           | (vacated) TWA: 180 mg/m <sup>3</sup>  | _                           |
| PROPANE/ISOBUTANE/N-BUTANE | 74-98-6: TWA: 1000 ppm           | 74-98-6:TWA: 1000 ppm                 | 74-98-6:IDLH: 2100 ppm      |
| 68476-86-8                 | 106-97-8: STEL: 1000 ppm         | TWA: 1800 mg/m <sup>3</sup>           | TWA: 1000 ppm               |
|                            | 75-28-5: STEL: 1000 ppm          | (vacated) TWA: 1000 ppm               | TWA: 1800 mg/m <sup>3</sup> |
|                            |                                  | (vacated) TWA: 1800 mg/m <sup>3</sup> | 106-97-8:TWA: 800 ppm       |
|                            |                                  | 106-97-8: (vacated) TWA: 800          | TWA: 1900 mg/m <sup>3</sup> |
|                            |                                  | ppm                                   | 75-28-5:TWA: 800 ppm        |
|                            |                                  | (vacated) TWA: 1900 mg/m <sup>3</sup> | TWA: 1900 mg/m <sup>3</sup> |

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

**Engineering Measures**Ventilation systems. Use adequate ventilation to keep the exposure levels below the OELs.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Physical and chemical properties

Physical state Aerosol Appearance Clear

Appearance Clear Odor Solvent

Color colorless Odor Threshold

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH No information available
Melting/freezing point No information available
Boiling point/boiling range No information available

Flash Point -91 °C / -132 °F Based on propellant

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 0.641

Water solubility Practically insoluble

Partition coefficient: n-octanol/water

Autoignition temperature No information available

**Decomposition temperature** 

Viscosity No information available

**Explosive properties** 

Revision Date 11-Jul-2016

Other information

VOC Content(%) 94.09

## 10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage

conditions

**Chemical stability** 

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

**Conditions to Avoid** 

Extremes of temperature and direct sunlight.

**Incompatible Materials** 

Store away from strong acids, alkalis, or oxidizing agents.

**Hazardous Decomposition Products** 

Carbon oxides. Fumes. Hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

**Inhalation** Exposure to high vapour concentrations may cause nervous systems effects such as

headache, nausea, and dizziness.

**Eye contact** May cause eye irritation.

**Skin contact** Causes skin irritation.

Ingestion Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung

damage which may be fatal.

**Component Information** 

| Chemical Name | LD50 Oral       | LD50 Dermal             | LC50 Inhalation       |
|---------------|-----------------|-------------------------|-----------------------|
| HEXANE        | = 25 g/kg (Rat) | = 3000 mg/kg ( Rabbit ) | = 48000 ppm (Rat) 4 h |
| 110-54-3      |                 |                         |                       |

## Information on toxicological effects

Symptoms Causes skin irritation. Suspected of damaging fertility or the unborn child. May cause

respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** irritating to skin . **Eye damage/irritation** May cause eye irritation.

**Irritation** May cause skin, eye and respiratory irritation.

Sensitization None known.

Germ Cell Mutagenicity None known.

**Carcinogenicity** There are no known carcinogenic chemicals in this product.

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

#### F03451 - 20518 FOOD GRADE SILICONE

Revision Date 11-Jul-2016

IARC: (International Agency for Research on Cancer)

IARC: (International Agency for Research on Cancer)
Group 3 - Not Classifiable as to Carcinogenicity in Humans

Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

**Specific target organ systemic** May cause drowsiness and dizziness. May cause respiratory irritation.

toxicity (single exposure)
Specific target organ systemic
toxicity (repeated exposure)

May cause damage to organs through prolonged or repeated exposure.

Chronic toxicity Chronic hydrocarbon abuse has been associated with irregular heart rhythms and potential

cardiac arrest. Prolonged skin contact may defat the skin and produce dermatitis. May cause adverse liver effects. Intentional misuse by deliberately concentrating and inhaling

contents may be harmful or fatal.

Target Organ Effects Central Nervous System (CNS), Eyes, Peripheral Nervous System (PNS), Respiratory

system, Skin, Kidney, Liver.

Neurological effects Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

**Aspiration hazard** Toxic if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 17255 mg/kg
ATEmix (dermal) 2315 mg/kg
ATEmix (inhalation-gas) 996173 mg/l
ATEmix (inhalation-dust/mist) 6.3 mg/l
ATEmix (inhalation-vapor) 55096 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

| Chemical Name                          | Toxicity to algae | Toxicity to fish  | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|--|-------------------|---|----------------------------|---|
| HEXANE<br>110-54-3                     | -                 | - 2.1 - 2.98 mg/L LC50<br>Pimephales promelas 96h<br>flow-through |                            | -   |
| DIMETHYL<br>POLYSILOXANE<br>63148-62-9 | -                 | -   | -                          | >10,000mg/L EC50<br>Daaphina magnma 48 h            |

## Persistence and degradability

.

## **Bioaccumulation**

| Chemical Name              | log Pow |
|----------------------------|---------|
| PROPANE/ISOBUTANE/N-BUTANE | <=2.8   |
| 68476-86-8                 |         |

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261). Dispose of in accordance with federal, state, and local regulations.

**Contaminated packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1,LTD.QTY.

IMDG UN1950, AEROSOLS, 2.1,LTD.QTY.

## 15. REGULATORY INFORMATION

## **International Inventories**

| Chemical Name                  | TSCA | DSL/NDSL | EINECS/ELI<br>NCS | ENCS       | IECSC | KECL | PICCS | AICS |
|--------------------------------|------|----------|-------------------|------------|-------|------|-------|------|
| HEXANE                         | Χ    | X        | Х                 | X          | Х     | X    | Х     | Х    |
| PROPANE/ISOBUTA<br>NE/N-BUTANE | Х    | Х        | Х                 | Not listed | Х     | Х    | Х     | Х    |
| DIMETHYL<br>POLYSILOXANE       | X    | Х        | Not listed        | х          | Х     | Х    | X     | Х    |

## Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name     | CAS-No   | Weight %* | SARA 313 - Threshold<br>Values % |
|-------------------|----------|-----------|----------------------------------|
| HEXANE - 110-54-3 | 110-54-3 | 50-60     | 1.0                              |

#### SARA 311/312 Hazard Categories

| Acute Health Hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | Yes |
| Sudden Release of Pressure Hazard | Yes |
| Reactive Hazard                   | no  |

## **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name      | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ   |
|--------------------|--------------------------|------------------------------------|--|
| HEXANE<br>110-54-3 | 5000 lb                  |                                    | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |

## **U.S. State Regulations**

## **California Proposition 65**

This product does not contain any known Proposition 65 chemicals.

## **U.S. State Right-to-Know Regulations**

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| HEXANE        | X          | X             | X            |
| 110-54-3      |            |               |              |

EPA Pesticide Registration Number Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.

#### **WHMIS Hazard Class**

A Compressed gases D2B Toxic materials B5 Flammable aerosol



## 16. OTHER INFORMATION

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard  $2^*$  Flammability 4 Physical Hazard 1 Personal protection B

Chronic Hazard Star Legend Chronic Health Hazard Repeated or prolonged exposure may cause central nervous system damage

Prepared By American Jetway

34136 Myrtle Street Wayne, MI 48184

Tel.734-721-5930

Issuing date 11-Jul-2016 Revision Date 11-Jul-2016

**Revision Note** 

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**